

# SAFETY DATA SHEET

# Section 1 - Product and Company Identification

THE EMBALMERS' SUPPLY COMPANY

5 Colton Road

East Lyme, CT 06333

INFORMATION: 860-739-4200

EMERGENCY PHONE (24hr) CHEMTREC: 800-424-9300

www.embalmers.com - info@embalmers.com

Trade Name: Leakproof Skin Spray Product Code: 20554

Product Type: Aerosol Sealant

Revision Date: Mar-15

# Section 2 - Hazards Identification

Appearance: Clear Liquid Odor: Sweet

**Emergency Overview: DANGER! OSHA Hazards:** Carcinogen, Irritant, Mutagen



This contains materials considered hazardous by OSHA Hazard Communication Standard [29 CFR 1910.1200]

Target Organs: Liver, Central Nervous System, Heart, Lungs

#### **Hazard Statements:**

- May be harmful if swallowed
- Causes skin irritation
- Causes serious eye irritation
- Wear appropriate personal protective equipment (see section 8 for more information)

# Potential Health Effects: [See section 11 for additional information]

Eye Contact: Causes Eye Irritation

- **Skin Contact:** May be harmful if absorbed through skin. Causes skin irritation.
- Inhalation: May be harmful if inhaled. Causes repiratory tract irritation.
- Ingestion: May be harmful if swallowed.

Carcinogenicity: Category 1B

Reproduction: Germ cell mutagenicity Category 2

Potential environmental effects: [see section 12 for additional information]

Harmful to aquatic life with long lasting effects.

# Section 3 - Composition/Information on Ingredients

Ingredient Name:	CAS number	<u>WT %</u>
Trichloroethylene	79-01-6	81.6
Toluene	108-88-3	6.8
Acrylic Resin Polymer	None	6.8
Carbon Dioxide	124-38-9	3.0

#### Section 4 - First Aid Measures

**Eye contact:** Rinse thoroughly with plwnty of water for at least 15 minutes and consult a physician.

**Skin contact** Wash off with soap and plenty of water. Consult a physician.

**Inhalation** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a

physician.

Ingestion

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# Section 5 - Fire-fighting measures

General Information Not flammable or combustible

**Extinguishing media** 

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters: Wear self contained breathing apparatus for fire fighting if

necessary.

#### Section 6 - Accidental Release Measures

**General Information** Use proper personal protective equipment as indicated in section 8

Spill/Leaks Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable

container. Remove all sources of ignition. Provide ventilation. Do not let product enter drains.

Discharge to the environment must be avoided.

# Section 7 - Handling & Storage

Handling Wash thoroughly after handling. Remover contaminated clothing and wash before reuse. Use

with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion and

inhalation.

Storage Keep containers tightly closed in a dry and well-ventillated place. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

# Section 8 – Exposure Control/Personal Protection

<u>Ingredient Name:</u> <u>Occupational exposure limits</u>

5000ppm

AGCIH TLV NIOSH OSHA PEL STEL (15 mins)
Trichloroethylene 50ppm TWA 270 mg/m³ 200 ppm 1080 mg/m³

5000ppm

**Toluene** 100ppm 100ppm 100ppm 150ppm

Acrylic Resin Polymer None Established None Established

**Engineering**Use adequate general or local exhaust to keep airborne concentrations below the permissible

exposure levels

**Personal Protective Equipment** 

**Carbon Dioxide** 

Eyes Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin Wear appropriate protective gloves and clothing to prevent skin exposure. The type of

protective equipment must be selected according to the concentration and amount of the

5000ppm

30000ppm

dangerous substace at the specific workplace.

**Clothing** Wear appropriate protective clothing to prevent skin exposure.

Respirators Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN149. Always use a NIOSH or European EN149 approved respirator when necessary.

Hygiene Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

#### Section 9 - Physical & Chemical Properties

Appearance (physical state, color, etc.)

Odor

pH

Clear liquid characteristic no data available

**Melting point/freezing point** melting point/range: -84.8°C (-120.6°F)

Boiling point86.7°C (188.1°F)Flash pointno data availableIgnition Temperature410°C (770°F)Auto Ignition Temperature410.0°C (770.0°F)

Lower explosion limit 8% (V) Upper explosion limit 10.5% (V)

Vapor pressure 81.3 hPa (61.0 mm Hg) at 20°C

**Relative density** 1.463 g/mL @ 25°C **Water solubility** no data available

Partition coeffficent: n-octanol/waterNo DataAuto ignition temperatureNo DataDecomposition temperatureNo Data

# Section 10 - Stability & Reactivity

**Stability** Stable under normal temperatures and pressures.

Conditions to avoid no data available

Materials to avoid Oxidizing agents, reducing agents, Magnesium

Hazardous Decomposition Products Thermal decomposition may produce carbon oxides, Hydrogen chloride gas.

# **Section 11- Toxicological Information**

# Acute toxicity Ingredient Name:

Trichloroethylene LD50 Oral Rat 4,920 mg/kg

LC50 Inhalation mouse 4h 8,450 ppm LD50 Skin rabbit >20,000 mg/kg Irritation Skin rabbit severe – 24 h Irritation Eye rabbit severe – 24 h

<u>Other Toxicological Information:</u> Laboratory experiments have shown mutagenic effects. In vitro test showed mutagenic effects.

<u>Carcinogenicity</u> This product is or contains a component that has been reported to be probably carcinogenic gbased on its IARC, OSHA, ACGIH, NTP or EPA classification.

ACGIH 2A – Group 2A: Probably carcinogenic to humans (Trichloroethylene)

IARC Not Classified

NTP Reasonably anticipated to be a human carcinogen (Trichloroethylene)

OSHA Not Classified EU Not Classified

Reproductive Toxicity: No data available

Teratogenicity: No data available

Specific Target Organs - GHS single exposure: May cause damage to organs.

GHS repeated exposure: no data available

Aspiration hazard: no data available

Potential health effects:

**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion:** May be harmful if swallowed.

**Skin:** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

<u>Signs and Symptoms of Exposure</u>: Burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Exposure to and/or consumption of alcohol may increase toxic effects. Gastrointestinal disturbance, kidney injury may occur, narcosis.

#### Section 12 - Ecological Information

**Environmental effects** Harmful to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Aquatic Eco toxicity Ingredient Name

Trichloroethylene LC50 41 mg/L – 96 h Pimephales promelas (fathead minnow)

LOEC 11 mg/L – 10 d other fish NOEC 40 mg/L – 10 d Oryzias latipes

Section 12 – Ecological Information (continued)

EC50 18.0 mg/L – 48 h Daphnia magna (water fleas)

IC50 175.0 mg/l – 96 h Pseudokirchneriella subcapitata (green algae)

Does not bioaccumulate

# Section 13 - Disposal Considerations

# Waste disposal

Offer surplus and non-recyclable solutions to a licensed disposal company. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

# Section 14 - Transportation Information

The data in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulation to properly classify your shipment.

# International transport regulations

DOT (US)

UN number 1710 Class: 6.1 Packaging Group III

Proper shipping name: Trichloroethylene Reportable Quantity (RQ): 100 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1710 Class: 6.1 Packaging Group III EMS-No: F-A, S-A

Proper shipping name: TRICHLOROETHYLENE

Marine pollutant: no

**IATA** 

UN number 1710 Class: 6.1 Packaging Group III

Proper shipping name: Trichloroethylene

#### Section 15 - Regulatory Information

#### **US regulations**

#### **OSHA Hazards**

Carcinogen, Irritant, Mutagen

#### **SARA**

Section 302 (RQ) No chemicals in this substance are subject to reporting requirements of Title III SARA 313 The following components are subject to reporting levels established by SARA Title III, Section 313:

Trichloroethylene CAS-No. 79-01-6

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### State regulations

#### **Massachusetts Right to Know Components**

Trichloroethylene CAS-No. 79-01-6

# Pennsylvania Right to Know Components

Trichloroethylene CAS-No. 79-01-6

#### Section 15 – Regulatory Information (continued)

# **New Jersey Right to Know Components**

Trichloroethylene CAS-No. 79-01-6

# California Prop. 65 Components

3

WARNING! This product contains a chemical known to the State of California to cause cancer.

CAS-No. 79-01-6 Trichloroethylene

#### Section 16 - Other Information

Prepared by Date of issue Date of printing Version

The Embalmers' Supply Company

24 March 2015

Notice to reader

The information provided herein was believed by The Embalmers' Supply Company (ESCO) to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by ESCO are subject to ESCO's terms and conditions of sale. ESCO MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY ESCO, except that the product shall conform to ESCO's specifications. Nothing contained herein constitutes and offer for the sale of any product.